

General Equilibrium for the Exchange Economy

Joseph Tao-yi Wang

2013/10/9

(Lecture 9, Micro Theory I)


What's in between the lines?

2

- And God said,
 - Let there be light...
- and there was light.... (Genesis 1:3, KJV)

What's in between the lines?

3



and God said,

$$E = hf = hc/\lambda, \quad eV_0 = hf - W, \quad E = mc^2, \quad E^2 = p^2c^2 + m^2c^4, \quad \Psi(x, t) = \int_{-\infty}^{\infty} A(k) e^{i(kx - \omega t)} dk,$$

$$p = h/\lambda, \quad \Psi(x, t) = e^{i(kx - \omega t)} \int_{-\infty}^{\infty} A(k) e^{i(kx - \omega t) - i(\omega - \omega_0)t} dt, \quad v = \left(\frac{d\omega}{dk} \right)_k, \quad E = p^2/2m,$$

$$\Psi(x, t) = e^{i(kx - \omega t)} \int_{-\infty}^{\infty} A(k) e^{i(kx - \omega t) - i(\omega - \omega_0)t} dt, \quad v = \left(\frac{d\omega}{dk} \right)_k, \quad \hbar \omega e^{i(kx - \omega t)} = \frac{\hbar^2 k^2}{2m} e^{i(kx - \omega t)}$$

$$E = \hbar^2 k^2 / 2m, \quad E = \hbar \omega = \hbar^2 k^2 / 2m, \quad m_{rel} = \frac{m}{\sqrt{1 - v^2/c^2}}, \quad \frac{\hbar^2}{2m} \frac{\partial^2 \Psi}{\partial x^2} = \hbar \frac{\partial \Psi}{\partial t}$$

$$\frac{\partial^2 \psi}{\partial x^2} + \frac{2m(E - V)}{\hbar^2} \psi = 0, \quad k^2 = \frac{2m(E - V)}{\hbar^2}, \quad \lambda = \frac{h}{\sqrt{2m(E - V)}}, \quad E = \frac{1}{2} k \lambda^2$$

$$E\psi = -\frac{\hbar^2}{2m} \left(\frac{\partial^2 \psi}{\partial x^2} + \frac{\partial^2 \psi}{\partial y^2} + \frac{\partial^2 \psi}{\partial z^2} \right) - \frac{2e^2}{4\pi\epsilon_0 r} \psi, \quad J = \nabla \times H, \quad \frac{d^2 x}{dt^2} + \frac{k}{x} x = 0$$

$$J = \frac{1}{r \sin \theta} \left[\frac{\partial H_\phi \sin \theta}{\partial \theta} - \frac{\partial H_\theta}{\partial \phi} \right] \bar{a}_r + \frac{1}{r} \left[\frac{1}{\sin \theta} \frac{\partial H_r}{\partial \phi} - \frac{\partial (r H_\phi)}{\partial r} \right] \bar{a}_\theta + \frac{1}{r} \left[\frac{\partial (r H_\theta)}{\partial r} - \frac{\partial H_r}{\partial \theta} \right] \bar{a}_\phi$$

$$-\frac{\hbar^2}{2m} \left(\frac{\partial^2 \psi}{\partial x^2} + \frac{\partial^2 \psi}{\partial y^2} + \frac{\partial^2 \psi}{\partial z^2} \right) + V\psi = E\psi, \quad V = -\frac{e^2}{4\pi\epsilon_0 r} = \frac{e^2}{4\pi\epsilon_0} \frac{1}{\sqrt{x^2 + y^2 + z^2}}$$

$$\nabla^2 V = \frac{1}{r^2} \frac{\partial}{\partial r} \left(r^2 \frac{\partial V}{\partial r} \right) + \frac{1}{r^2 \sin \theta} \frac{\partial}{\partial \theta} \left(\sin \theta \frac{\partial V}{\partial \theta} \right) + \frac{1}{r^2 \sin^2 \theta} \frac{\partial^2 V}{\partial \phi^2}, \quad J = \lim_{\Delta S \rightarrow 0} \frac{\oint \vec{H} \cdot d\vec{l}}{\Delta S_n}$$

$$\nabla \cdot D = \frac{1}{h_1 h_2 h_3} \left[\frac{\partial}{\partial u} (h_2 h_3 D_u) + \frac{\partial}{\partial v} (h_1 h_3 D_v) + \frac{\partial}{\partial w} (h_1 h_2 D_w) \right]$$

$$P_\theta = \int_{\omega_0}^{\omega} \frac{1}{\omega} J_\theta d\omega = \int_{-\infty}^{\infty} \int_0^{2\pi} \int_0^a \frac{4\sigma V_0}{r \ln(b/a)} \sin^2 \beta z \sin^2 \omega t d\phi dz = \frac{4\pi\sigma V_0^2}{\ln(b/a)} \left(1 - \frac{\sin 2\beta l}{2\beta} \right) \sin^2 \omega t$$

$$J_\nu(z) = \sum_{m=0}^{\infty} \frac{(-1)^m z^{\nu+2m}}{m! \Gamma(m+\nu+1) 2^{\nu+2m}}, \quad J_{-\nu}(z) = \sum_{m=0}^{\infty} \frac{(-1)^m z^{\nu+2m}}{m! \Gamma(m-\nu+1) 2^{\nu+2m}}$$

$$\oint \vec{E} \cdot d\vec{l} = emf = -\int \frac{\partial \vec{B}}{\partial t} \cdot d\vec{s}, \quad \oint \vec{H} \cdot d\vec{l} = I = \int \left(\vec{J}_c + \frac{\partial \vec{D}}{\partial t} \right) \cdot d\vec{s}, \quad \oint \vec{D} \cdot d\vec{S} = Q = \int \nabla \cdot \vec{D} dv$$

$$E_r = \frac{J_0 e^{-\gamma r}}{4\pi} \left(\sqrt{\frac{\mu}{\epsilon}} \frac{2}{r^2} + \frac{2}{j\omega \sigma r^3} \right) \cos \theta, \quad E_\theta = \frac{J_0 e^{-\gamma r}}{4\pi} \left(\frac{j\omega \mu}{r} + \sqrt{\frac{\mu}{\epsilon}} \frac{1}{r^2} + \frac{1}{j\omega \sigma r^3} \right) \sin \theta$$

$$E(r, \theta, t) = \frac{-\omega \mu J_0}{4\pi r} \sin \theta \sin(\omega t - \omega r \sqrt{\mu \epsilon}) \bar{a}_\theta, \quad H(r, \theta, t) = \sqrt{\frac{\epsilon}{\mu}} E_\theta \bar{a}_\phi, \quad \gamma = j\omega \sqrt{\mu \epsilon} \dots$$

and there was light. exchange

What's in

What We Learned from the 2x2 Economy?

5

- **Pareto Efficient Allocation (PEA)**
 - Cannot make one better off without hurting others
- **Walrasian Equilibrium (WE)**
 - When Supply Meets Demand
 - Focus on Exchange Economy First
- **1st Welfare Theorem**: WE is Efficient
- **2nd Welfare Theorem**: Any PEA can be supported as a WE
- These also apply to the general case as well!

General Exchange Economy

- n Commodities: $1, 2, \dots, n$
- H Consumers: $h = 1, 2, \dots, H$
 - Consumption Set: $X^h \subset \mathbb{R}_+^n$
 - Endowment: $\omega^h = (\omega_1^h, \dots, \omega_n^h) \in X^h$
 - Consumption Vector: $x^h = (x_1^h, \dots, x_n^h) \in X^h$
 - Utility Function: $U^h(x^h) = U^h(x_1^h, \dots, x_n^h)$
 - Aggregate Consumption and Endowment:
$$x = \sum_{h=1}^H x^h \text{ and } \omega = \sum_{h=1}^H \omega^h$$
- Edgeworth Cube (Hyperbox)

Feasible Allocation

7

- A allocation is **feasible** if
- The sum of all consumers' demand **doesn't exceed** aggregate endowment: $x - \omega \leq 0$
- A feasible allocation \bar{x} is **Pareto efficient** if
- there is no other feasible allocation x that is
- **strictly preferred** by at least one: $U^i(x^i) > U^i(\bar{x}^i)$
- and is **weakly preferred** by all: $U^h(x^h) \geq U^h(\bar{x}^h)$

Walrasian Equilibrium

- **Price-taking:** Price vector $p \geq 0$
- **Consumers:** $h=1, 2, \dots, H$
- **Endowment:** $\omega^h = (\omega_1^h, \dots, \omega_n^h)$ $\omega = \sum_h \omega^h$
- **Wealth:** $W^h = p \cdot \omega^h$
- **Budget Set:** $\{x^h \in X^h \mid p \cdot x^h \leq W^h\}$
- **Consumption Set:** $\bar{x}^h = (\bar{x}_1^h, \dots, \bar{x}_n^h) \in X^h$
- **Most Preferred Consumption:**
 $U^h(\bar{x}^h) \geq U^h(x^h)$ for all x^h such that $p \cdot x^h \leq W^h$
- **Vector of Excess Demand:** $\bar{e} = \bar{x} - \omega$

Definition: Walrasian Equilibrium Prices

- The price vector $p \geq 0$ is a **Walrasian Equilibrium price vector** if
- there is no market in excess demand ($\bar{e} \leq 0$),
- and $p_j = 0$ for any market that is in excess supply ($\bar{e}_j < 0$).

- We are now ready to state and prove the “Adam Smith Theorem” (WE \Rightarrow PEA)...

Proposition 3.2-0: First Welfare Theorem

- If preferences of each consumer satisfies LNS, then the Walrasian Equilibrium allocation is Pareto efficient.
- Proof:
 - (Same as 2-consumer case. Homework.)

SWT without differentiability

- In Section 3.1, we assumed differentiability to use Kuhn-Tucker conditions to prove SWT
- Now we drop differentiability and appeal directly to Supporting Hyperplane Theorem
- To do that, we first need a lemma...

Lemma 3.2-1: Quasi-concavity of V

- If $U^h, h = 1, \dots, H$ is quasi-concave,
- Then so is the **indirect utility function**

$$V^1(x) = \max_{x^h} \left\{ U^1(x^1) \left| \sum_{h=1}^H x^h \leq x, \right. \right. \\ \left. \left. U^h(x^h) \geq U^h(\hat{x}^h), h \neq 1 \right\}$$

Lemma 3.2-1: Quasi-concavity of V

- Proof: For aggregate endowment a, b , Claim for $c = (1 - \lambda)a + \lambda b$, $V^1(c) \geq \min\{V^1(a), V^1(b)\}$

Assume $\{a^h\}_{h=1}^H$ solves $V^1(a) = U^1(a^1)$

$\{b^h\}_{h=1}^H$ solves $V^1(b) = U^1(b^1)$

$\{c^h\}_{h=1}^H$ is feasible since $c^h = (1 - \lambda)a^h + \lambda b^h$

$\Rightarrow V^1(c) \geq U^1(c^1)$

Now only need to prove $U^1(c^1) \geq \min\{V^1(a), V^1(b)\}$.

Lemma 3.2-1: Quasi-concavity of V

- Since $\{a^h\}_{h=1}^H$ solves $V^1(a)$,
 $\{b^h\}_{h=1}^H$ solves $V^1(b)$,
 $U^1(a^1) = V^1(a)$ and $U^1(b^1) = V^1(b)$
by quasi-concavity of U^1
$$\Rightarrow U^1(c^1) \geq \min\{U^1(a^1), U^1(b^1)\}$$
$$= \min\{V^1(a), V^1(b)\}$$
$$\Rightarrow V^1(c) \geq U^1(c^1) \geq \min\{V^1(a), V^1(b)\}$$

Proposition 3.2-2: Second Welfare Theorem

- Consumer $h \in \mathcal{H}$ has endowment $\omega^h \in \mathbb{R}_+^n$
- Suppose $X^h = \mathbb{R}_+^n$, and utility functions $U^h(\cdot)$
- continuous, quasi-concave, strictly monotonic.
- If $\{\hat{x}^h\}_{h=1}^H$ where $\hat{x}^h \neq 0$ is Pareto efficient,
- then there exist a price vector $p > 0$ such that

$$U^h(x^h) > U^h(\hat{x}^h) \Rightarrow p \cdot x^h > p \cdot \hat{x}^h$$

- Proof:

Proposition 3.2-2: Second Welfare Theorem

- Proof: Want to apply Supporting Hyperplane Theorem to the set $\{x | V^1(x) \geq V^1(\omega)\}$ where

$$V^1(x) = \max_{x^h} \left\{ U^1(x^1) \mid \sum_{h=1}^H x^h \leq x, \right.$$


$$\left. U^h(x^h) \geq U^h(\hat{x}^h), h \neq 1 \right\}$$

Need to show that:

1. ω on boundary

2. Set is convex

(2D example)



Proposition 3.2-2: Second Welfare Theorem

- Proof: Assume nobody has zero allocation
 - Relaxing this is easily done...
- By Lemma 3.2-1, $V^1(x)$ is quasi-concave
 - Convex upper contour set $\{x | V^1(x) \geq V^1(\omega)\}$
- $V^1(x)$ is strictly increasing since $U^1(\cdot)$ is also
 - and any increment could be given to consumer 1
- Since $\{\hat{x}^h\}_{h=1}^H$ is Pareto efficient, $V^1(\omega) = U^1(\hat{x}^1)$
- Since $U^1(\cdot)$ is strictly increasing, $\sum_{h=1}^H \hat{x}^h = \omega$

Proposition 3.2-2: Second Welfare Theorem

- Proof (Continued):
- Since ω is on the boundary of $\{x | V^1(x) \geq V^1(\omega)\}$
- By the Supporting Hyperplane Theorem, there exists a vector $p \neq 0$ such that

$$V^1(x) > V^1(\omega) \Rightarrow p \cdot x > p \cdot \omega$$

and

$$V^1(x) \geq V^1(\omega) \Rightarrow p \cdot x \geq p \cdot \omega$$

- Claim: $p > 0$, then we can show that

$$U^h(x^h) > U^h(\hat{x}^h) \Rightarrow p \cdot x^h > p \cdot \hat{x}^h$$

Proposition 3.2-2: Second Welfare Theorem

- Proof (Continued):
- Why $p > 0$? If not, define $\delta = (\delta_1, \dots, \delta_n) > 0$
- such that $\delta_j > 0$ iff $p_j < 0$ (others = 0)
- Then, $V^1(\omega + \delta) > V^1(\omega)$ and $p \cdot (\omega + \delta) < p \cdot \omega$
- Contradicting (Supporting Hyperplane Thm)

$$U^h(x^h) \geq U^h(\hat{x}^h) \Rightarrow p \cdot \sum_{h=1}^H x^h \geq p \cdot \omega$$


$$V^1(x) > V^1(\omega) \Rightarrow p \cdot \sum_{h=1}^H x^h > p \cdot \omega$$

Proposition 3.2-2: Second Welfare Theorem

- Since $U^h(x^h) \geq U^h(\hat{x}^h) \Rightarrow p \cdot \sum_{h=1}^H x^h \geq p \cdot \sum_{h=1}^H \hat{x}^h$
- Set $x^k = \hat{x}^k$ for all $k \neq h$, then for consumer h
$$U^h(x^h) \geq U^h(\hat{x}^h) \Rightarrow p \cdot x^h \geq p \cdot \hat{x}^h$$
- Need to show strict inequality implies strict...
- If not, then $U^h(x^h) > U^h(\hat{x}^h) \Rightarrow p \cdot x^h = p \cdot \hat{x}^h$
- Hence, $p \cdot \lambda x^h < p \cdot \hat{x}^h$ for all $\lambda \in (0, 1)$
 U^h continuous $\Rightarrow U^h(\lambda x^h) > U^h(\hat{x}^h)$ for λ near 1
- Contradiction!

Why should I care about this (or the math)? 23

- In Ch.3 we saw three different versions of the SWT, each with different assumptions...



- Need to know when can you use which...

Summary of 3.2

- Pareto Efficiency:
 - Cannot make one better off without hurting others
- Walrasian Equilibrium: market clearing prices
- Welfare Theorems:
 - First: Walrasian Equilibrium is Pareto Efficient
 - Second: Pareto Efficient allocations can be supported as Walrasian Equilibria (with transfer)
- Homework: Prove FWT for n -consumers
 - (Optional: 2009 final-Part B)