

## Programming Assignment #4

### Introduction to Computer Networks

#### The Assignment

Having experience programming the file upload client, you are ready to program next the file upload server. Your `PA4.go` should allow your `PA3.go` to upload a file. More specifically, the server:

- (1) listens at <your port#> until there's an upload request
- (2) reads from the socket first the file size (just the number in a single line)
- (3) reads from the socket one line at a time
- (4) prepend the line count to each line and store the new line into a new file: `whatever.txt`
- (5) repeats (3) and (4) until all lines in the file is processed
- (6) sends a message back that tells the client the original file and the new file size
- (7) closes the connections and terminates the program

Find out <your port#> from: [http://homepage.ntu.edu.tw/~pollyhuang/teach/intro-cn-spring-20/pa/port\\_assignment.pdf](http://homepage.ntu.edu.tw/~pollyhuang/teach/intro-cn-spring-20/pa/port_assignment.pdf). You will see each team is assigned a unique port number. Use strictly only your port number, please. This is important because two server programs cannot be running on the same port.

What you learn in PA3 is sufficient to carry you through PA4. However, going through the following examples might make the programming of `PA4.go` easier. The two examples are to introduce the `Reader` object and associated APIs in package `bufio`, as an alternative to the `Scanner` object/APIs.

Now follow through the examples below and practice the socket APIs of Go.

#### 1. Another Server-Client Pair

This example implements a server that receives a string from the socket, prints it on the screen, and sends back the size of the string. Start a file `server-102.go` and type

up the following code.

```
package main

import "fmt"
import "bufio"
import "net"

func check(e error) {
    if e != nil {
        panic(e)
    }
}

func main() {
    fmt.Println("Launching server...")
    ln, _ := net.Listen("tcp", ":<your port#>")
    conn, _ := ln.Accept()
    defer ln.Close()
    defer conn.Close()

    reader := bufio.NewReader(conn)
    message, errr := reader.ReadString('\n')
    check(errr)
    fmt.Printf("%s", message)

    writer := bufio.NewWriter(conn)
    newline := fmt.Sprintf("%d bytes received\n", len(message))
    _, errw := writer.WriteString(newline)
    check(errw)
    writer.Flush()
}
```

Start a file `client-102.go` and type up the following code.

```
package main

import "fmt"
import "bufio"
import "net"

func check(e error) {
    if e != nil {
        panic(e)
    }
}

func main() {
    conn, errc := net.Dial("tcp", "127.0.0.1:<your port#>")
    check(errc)
    defer conn.Close()

    writer := bufio.NewWriter(conn)
    len, errw := writer.WriteString("Hello World!\n")
    check(errw)
    fmt.Printf("Send a string of %d bytes\n", len)
    writer.Flush()

    reader := bufio.NewReader(conn)
    message, errr := reader.ReadString('\n')
    check(errr)
    fmt.Printf("Server replies: %s", message)
}
```

Replace `<your port#>` with the port number assigned to your team. Start the server code first.

```
$ go run server-102.go  
Launching server...
```

Then, the client code.

```
$ go run client-102.go  
Send a string of 13 bytes  
Server replies: 13 bytes received  
$
```

The terminal running the server code should continue with:

```
Hello World!  
$
```

Code walk-through:

- `bufio.NewReader(conn)` works just like `bufio.NewScanner()` and `bufio.NewWriter()`. In that, `NewReader()` creates a `Reader` object that wraps around `conn` to allow the socket connection access to APIs available to the `Reader` type.
- `reader.ReadString(\n)` reads a string delimited by the character in the `()`. In effect, this call reads a line, including the `\n`. Giving it, i.e., the delimiter, an empty space, the call will read a word. Text extraction/processing is even easier with `Reader` than with `Scanner`.

## 2. PA4.go

To test your `PA4.go`, do modify your `PA3.go` to dial to the IP address of the machine your `PA4.go` is running on and the port number you are assigned.

To help you verify your implementation, polly has made the compiled byte code of her `PA4.go` available here: <http://homepage.ntu.edu.tw/~pollyhuang/teach/intro-cn-pa/PA4/PA4>. Login to the workstation and download the byte code to your account:

```
$ curl homepage.ntu.edu.tw/~pollyhuang/teach/intro-cn-pa/PA4/PA4
```

```
> pollys-PA4
```

The `curl` command downloads the byte code and saves it as a file, filename `pollys-PA4`. You'll need to change the permission to allow user to execute the file by the following before trying it out:

```
$ chmod u+x pollys-PA4
$ ./pollys-PA4
```

To not cause any port conflict with you guys' servers, polly's PA4 server is running on port# 11999. To see how polly's PA4 behaves, you'll need to modify your PA3.go to dial to the workstation and port# 11999. Cross compare execution result of your PA4.go to the outcome of executing PA4. If they work the same, you will be done and safe.

Chance is low but there is a chance that two or more teams try to run polly's PA4 byte code on the workstation at the same time. There'll still be port conflict. Two ways to resolve the issue. First, give it a bit time and then run polly's PA4 again. Hope there'll not be a conflict another trial. Second, chance is high the process running on 11999 is some other team running polly's PA4 byte code. Just pair that process with your PA3.go and observe how it behaves. It could well be working and you do not need to start polly's PA4 yourself.

### 3. Go Documentation

For details and other APIs in the `bufio` package, visit this page:

<https://golang.org/pkg/bufio/>

You will see 3 major object types, `Reader`, `Scanner`, and `Writer`. `Reader`'s method set is significantly richer than the `Scanner`'s. One can `ReadByte()` to read a single byte, `ReadBytes()` to read a byte segment, `ReadLine()` to read a line, `ReadString()` to read a string, or simply `Read()` such as the native socket I/O (only) does. You might see a bit why many developers appreciate Go – a rich and coder-friendly collection of packages. Imagine how much faster we will be able to code, and build on that, how much faster the next generation of coders code. Hope you get the idea and the power of open source.

#### 4. Submit your PA4

ssh to the 140.112.42.221 workstation. At the team account's home directory, create a directory PA4. Upload your PA4.go to directory PA4. Test your PA4.go again on the workstation just to make sure it's working as expected.